

ecodan[®]

Advanced Heating Technology

The perfect solution for Low Carbon Domestic Space and Water Heating

Helping you to comply with 
The Code for Sustainable Homes





**A new era in
the provision of
domestic space
and water
heating**

The name Mitsubishi is synonymous with excellence

Known the world over, Mitsubishi is a trusted global leader associated with a variety of products and services. Founded in 1907, the company known today as Mitsubishi Electric, quickly rose to the forefront of the heating and cooling industry, a position we still enjoy today.

Increasing attention is being paid to the cost and the environmental impact of heating homes in the UK. As a leading manufacturer of energy efficient heat pump systems, we constantly strive to meet and exceed the increasing demands placed on our industry. The drive to reduce energy consumption and the impact it's use has on the environment is crucial and increasingly important to us all. The need to be more energy conscious and environmentally responsible, has long driven Mitsubishi Electric to spend millions of pounds and huge amounts of resource on researching and developing the solutions of the future. As market leaders, at the forefront of the very latest technology, we pride ourselves in providing high performance and competitive systems on which you can rely. Amongst such developments is the advanced heat pump technology used in Ecodan.


Responsible manufacturing

Mitsubishi Electric boasts an explicit commitment to sustainable business practices such as energy and resource efficiency, minimising ecological impacts of our products and reducing greenhouse gas emissions. We are the only manufacturer in the industry recognised by Portfolio 21 as one of the top five companies in the world for our sustainable environmental policy. All of our factories are also ISO 14001 registered, the international standard that specifies a process for controlling and improving a company's environmental performance and with the advent of our Green Gateway Initiative, we strive to constantly promote best practice.

The Forest Stewardship Council (FSC) is an international network promoting responsible management of the world's forest. The paper this brochure is printed on supports the development of responsible forest management worldwide. The wood comes from FSC certified, well managed forests, company controlled sources and/or recycled material.





Providing perfect solutions for today and the future



Ecodan[®] heat pumps have the potential to reduce a home's CO₂ emissions by up to 50%*

By simply using a Mitsubishi Electric Ecodan heat pump to provide domestic space heating and hot water, it is possible to greatly reduce CO₂ emissions. Using proven heat pump technology widely used in the heating and cooling industry, Ecodan upgrades naturally occurring energy from the air and uses this to provide domestic space heating and hot water. Heat pump technology has been used around the world for decades and Mitsubishi Electric have developed this technology for domestic application to produce **Ecodan - one of the most advanced, efficient heating systems available today.**



User friendly

From a user's perspective, when compared to traditional means of domestic heating, Ecodan is easy to install, reduces CO₂ emissions by up to 50%* and offers a 30%* saving on running costs. This is only made possible through the application of the most advanced heating technology in production to date. **Ecodan provides the perfect solution to help new build homes adhere to The Code for Sustainable Homes.**

*These savings are based on a 4 bedroom house of standard construction built in 2000. The Ecodan replaced an 80% efficient gas boiler.

THE CHALLENGES

Rising energy costs

The Code for Sustainable Homes legislative requirements

Increasing demand from house owners and house builders for renewable energy

Gas and oil based solutions have a limited life span - need to plan for long term future

Global pressures to be more environmentally responsible

All the above are going to increase significantly

THE SOLUTION

Ecodan®
A new generation of heat pumps that help to achieve Level 3 of The Code for Sustainable Homes

A cost effective CO₂ reducing heating system

Easily installed - only requiring water and electric connections

Low running costs


Low maintenance

Reliable, proven technology

Designed for domestic use



ecodan®
Advanced Heating Technology



Recognising the need to change our approach to energy use

Global warming is a reality that we must all now face and as legislation drives the increased use of sustainable energy, the need for energy efficient homes, with minimum CO₂ emissions is greater than ever.


Recent rises in energy bills adversely affect us all. With costs set to continue to rise and natural energy resources proven to be diminishing, it is crucial that we consider alternative, more efficient means of providing and utilising energy.

Reducing the impact on our environment

Global warming is confirmed as being closely linked to carbon emissions and as a result the UK Government has determined that this country will play a major part in helping to reduce such emissions. The Government introduced the Sustainable Energy and Climate Change Bill with the long-term goal being to cut CO₂ emissions by 60% from 1990 levels by the year 2050. New legislative powers and improved ways in which CO₂ reductions are monitored and reported will also be introduced.

Total CO₂ Emissions

Source:
International
Energy Agency



The Stern Report

Head of the Government Economic Service, Sir Nicholas Stern, was recently commissioned by the Government to review the economics of Climate Change. The conclusion of the review is essentially optimistic and finds that there is still time to avoid the worst impacts of Climate Change, if we act now and act internationally. Governments, businesses and individuals need to work together to respond to the challenge and strong, deliberate policy choices by governments are essential to motivate change. Delaying action, even by a decade or two, however, will take us into dangerous territory. If no action is taken to reduce CO₂ emissions, the concentration of

greenhouse gases could reach double its pre-industrial level as early as 2035, thus increasing average temperatures by 2°C. In the longer term, there would be more than a 50% chance that the rise would exceed 5°C. This would be very dangerous indeed and is equivalent to the change in average temperatures from the last Ice Age to today. The cost of stabilising the climate is significant yet manageable, but delay would be dangerous and much more costly. Emissions can be cut through increased energy efficiency, changes in demand and through the adoption of clean power, heat and transport technologies.

As energy used in buildings is responsible for almost 50% of the UK's carbon burden, the commercial and residential building sectors are under close scrutiny as far as energy efficiency is concerned.


That said, more than a quarter of the UK's CO2 emissions are as a direct result of us heating, lighting and running appliances in our homes.

Domestic space and water heating produce over 70% of an average home's CO2 emissions, therefore reducing these is of paramount importance. It's no surprise, that in order to reduce CO2 emissions, we need to focus our efforts on seeking new, more effective means of heating homes.



Central and local government are using legislation and strict guidelines to ensure that homes are as energy efficient as possible. In the social and private housing sector, designers, builders and installers increasingly need to utilise new and advanced technologies to ensure they meet the new rules designed to cut CO2 emissions and make better use of energy.

27% of the UK's CO2 emissions comes from domestic heating, lighting and appliances

The average UK household produces over 5 tonnes of CO2 per year, with a typical breakdown being:



We need to reduce the requirement for heating, ensuring that we heat by the most efficient means possible



Ecodan® reduces CO₂ emissions in new and existing homes

New Homes

CO₂ emissions reduced by **30%**

There is currently a substantial under supply of housing in the UK. In order to meet the demand for new homes, the housing sector is set to increase its build rate by 23% over the next 20 years. This means that by the year 2050, over a third of the UK's housing stock will have been built inside of four decades. The Government is therefore focussed on using this growth as the ideal opportunity to cut energy use and water consumption in homes and is introducing legislation and guidelines in support of this.

The Code for Sustainable Homes

Introduced in 2006, The Code for Sustainable Homes is part of the growing body of legislation aimed at reducing CO₂ emissions. Using a rating system of one to six stars to depict the overall sustainable performance of a house, with one star being above the standard of the current Building Regulations. **Code Level 3 CO₂ emission reductions can be achieved by the deployment of Ecodan advanced heating technology. In conjunction with notional energy saving methods such as improved thermal insulation, Code Level 4 can be achieved.**

CO₂ Emissions Reduction Targets

Code level (Stars)	CO ₂ Emissions
	Percentage improvement on Part L 2006
1*	10%
2**	18%
3***	25%
4****	44%
5*****	100%
6*****	Zero Carbon

Existing Homes

CO₂ emissions reduced by **50%**

The potential for reducing CO₂ emissions as well as the energy demands of existing homes is even greater than with that of new build. Existing energy use is likely to be much higher than in a new build, due to lower insulation levels and older heating systems with low efficiency.

Existing homes may also have the potential to benefit from Government grant funding in the near future as heat pump technology receives the recognition it deserves. Please refer to the latest Micro Generation Listing. **For further details and the latest information regarding any grants, please visit www.greenbooklive.com**

As a further incentive for home owners to consider systems such as the Mitsubishi Electric Ecodan, the cost of VAT is reduced to only 5% in recognition of heat pump status as a low carbon technology as opposed to the 17.5% applicable on all traditional heating systems.

Why Ecodan[®] is **more efficient** than other forms of heating solutions

With conventional boilers, 1kW of input energy provides less than 1kW of output energy or heat. With Ecodan, every 1kW of input energy is converted into an average of 3.6kW of output energy or heat, making it more than three times as efficient as conventional boilers and a natural choice for low cost heating and hot water.


The Co-efficient of Performance (COP) of a heat pump is the ratio of the heat delivered, divided by the power consumed. The modern heat pump technology used in Ecodan and given in this example has the seasonal COP rating of 3.6.

By 2016, over 720,000 tonnes of CO₂ emissions per annum could be saved if all the 200,000 residential properties built each year installed heat pumps. If a heat pump also replaced 10% of the gas boilers sold each year in existing properties, the potential annual saving would increase to over 2 million tonnes of CO₂ by 2016.

By transforming the energy found naturally in outdoor air and using that to help provide cost effective heating, we've already established the efficiency of Ecodan and the fact that it 'upgrades' energy. Take that one step further and consider using Ecodan powered by electricity from a renewable energy source such as wind, biomass, solar or tidal and you could have a heating system that is zero carbon rated.


Another advantage with Ecodan is it's ease of installation and design flexibility. A perfect answer to those wide areas of the UK that are not perhaps on, or likely to be on the National Gas Grid. This negates the need to consider the more costly options of electricity or oil and removes the need to negotiate the enormous expense and disruption of extending the National Gas Grid. Whatever the location, simply install Ecodan and enjoy efficient, effective heating and hot water at a fraction of the alternative cost.

CO₂ emissions for various heating systems



Fuel	CO ₂ levels per KW
Oil	0.26
LPG	0.25
Gas	0.19
Electricity	0.43

Running costs for various heating systems




Suppliers fuel prices in the above running cost graph are correct as of July 2008 covering postal area LU5.

Ecodan[®]'s advanced heating technology explained


The advanced heating technology used in heat pumps make them ideal for use in the UK's ambient temperatures and hence perfect for the domestic market.

The technology inside the heat pump is similar to any domestic refrigerator, which uses a vapour compression cycle. The main components in the heat pump are the compressor, the expansion valve and two heat exchangers (an evaporator and a condenser).

- 1 Refrigerant in the evaporator is colder than the heat source. This causes the heat to move from the heat source (in this case the outside air) to the refrigerant, which then evaporates.
- 2 This vapour moves to the compressor and reaches a higher temperature and pressure.
- 3 The hot vapour now enters the condenser and gives off heat as it condenses.
- 4 The refrigerant then moves to the expansion valve; drops in temperature and pressure; and then returns to the evaporator.



What makes Ecodan[®] unique?



Inverter-driven technology

At the heart of Ecodan is a modern, inverter-driven heat pump compressor which converts free energy from the air and upgrades it to higher temperatures suitable for heating. The inverter control regulates the system so that heat output modulates to match the exact capacity required, meaning the boiler will only consume the exact energy needed at any given time and thus increase efficiency further.

The performance characteristics of Ecodan®

Low starting current

Ecodan operates on a standard single phase power supply and has very a low starting current of 5 amps, which reduces power requirement further still.

Low noise levels

Crucial to residential applications, the Ecodan range offers some of the lowest noise levels available.


Easy to install

The Ecodan heat pump is a self contained unit which only requires water and single phase electric connections.

Highest efficiency


With the UK's ambient temperatures, Ecodan is perfectly designed to operate at optimum performance throughout the year. Ecodan can generate hot water up to 60°C, it also has the ability to operate in the unlikely event of the outside temperature plummeting to -15°C.

COP ratings against typical UK heating range



Ecodan efficiency against ambient temperature using average flow temperature of 45°C. Shaded area shows typical UK heating range (2°C to 7°C) at which COPs of 3.1 to 3.7 are achievable.

**Ecodan®
heat pumps
are perfect
for the UK
domestic
market**



Ecodan[®] in operation

Ecodan heat pumps are ideal for use in a variety of house sizes or styles and it's carefully developed control system is designed to work perfectly to provide hot water to either traditional radiators or under floor heating systems.

Traditionally heat pumps have been seen as only suitable for under floor heating, however with the advanced control system of Ecodan and it's ability to provide optimum variable flow temperature control, radiators can now be easily provided with the hot water they need and prove to be a very efficient option.

How the delivery of heat differs when comparing Ecodan[®] to traditional radiator systems


Full space heating capacity is required at -5°C

No space heating capacity is required at 15°C


Capacity control in radiator systems, with a fixed flow temperature is controlled by Thermostatic Radiator Valves (TRV). These operate by turning the radiators on and off to maintain the desired comfort level. For example at 2°C, with 55°C flow temperature, the radiators will be on 50% of the time and off for the other 50% of the time.

The Ecodan will vary the flow temperature automatically, based on the ambient temperature to keep the house warm. Operating at these lower flow temperatures significantly improve efficiency.

Typical heat load of a house to achieve indoor comfort




Flow temperature requirement vs outside air temperature



Reduced energy consumption

Energy savings of over 30% are achieved by using a heat pump with a variable flow temperature as opposed to a fixed flow temperature.

Efficiency comparison with fixed and variable flow temperature




When installing a heat pump with a fixed flow temperature of 55°C, annual running costs for a three bedroom house are comparable to a traditional gas boiler. If variable flow temperature with radiators are used, the running cost savings are over 20% and even greater for under floor heating systems.

Improved level of comfort

In using lower flow temperatures a more consistent heat output is achieved, the Ecodan therefore gives a greater level of comfort, lower CO₂ emissions and reduced running costs when heating the home.


This is an alternative to high temperature radiators that give an on-off burst of heat in a bid to maintain the desired room temperature. Homes can now enjoy a constant, controlled living environment, whilst benefiting from reduced running costs and lessening the impact on our environment.

Annual CO₂ emission reductions for a three bedroom house



Greater comfort, lower CO₂ emissions and running costs reduced by 23%

when compared to a traditional gas boiler of 93% efficiency



Proven heat pump technology

Heat pumps are widely and successfully used throughout Europe, with approximately **250,000** heat pumps installed in domestic applications in 2006 alone; in France 50,000 were installed in domestic properties. The French Government recognises the efficiency of heat pumps and therefore promotes their use with a 40% tax incentive to help meet their commitment towards the Kyoto Protocol.

The Swedish are also looking towards reducing their domestic CO₂ emissions using heat pump technology. Last year alone sales of heat pumps were in the region of 80,000 units. In Sweden there are other driving factors increasing the market for heat pumps, one of the main ones being that they have very little natural oil or gas reserves, relying mainly upon their hydro and nuclear power stations for electricity generation. Over the coming years the Swedish Government is planning to reduce their dependency on oil fired heating.



Mitsubishi Electric - specialists in heat pump technology

With years of experience at the forefront of advanced heating and cooling technologies, Mitsubishi Electric pride ourselves on the highest level of product research and development, ensuring the utmost efficiency across the range.

We continually invest millions of pounds and years of extensive testing into each and every one of our products, earning us the deserved position of a market leader.


Ideally suited to the domestic market

Perfect for use in applications where there is a need for domestic space heating and the provision of hot water, Ecodan can be readily supplied as either a packaged system, that includes an approved water tank designed to perfectly compliment the way in which Ecodan operates, or it can be installed to operate with standard 'S-Plan' central heating controls and an existing or alternative water storage tank.

It's important to stress that the selection of the hot water storage tank is crucial to the overall performance of the system.



**The future
of domestic
space heating
and hot
water**



The Ecodan[®] range

Our comprehensive Ecodan range is designed to suit a wide number of applications, from a small flat to a six bedroom house and will cater for the varying requirements of both new build and existing homes.

W50

The smallest capacity unit in our Ecodan range is the W50 which is 5kW and is perfect for use in new build applications due to their modern day thermal efficiencies. Able to work at variable capacities between 1.5kW and 5.2kW the W50 is ideal for many applications ranging from smaller existing homes or flats to medium sized newly built homes.




W85

Currently the popular unit in our Ecodan range is the W85 which is proving ideal for use in both newly built homes and existing homes too. The Case Studies in this brochure show how effective the W85 has proven for the two very different applications. Able to work at variable capacities between 3kW and 9kW the W85 offers the widest scope to cater for the majority of applications.




HW140

Catering for applications with a greater demand for a more powerful unit is the HW140. With the potential to operate between 5kW and 14kW, our most powerful unit is perfectly suited to provide effective heating and hot water for larger, existing homes that do not benefit from the thermal efficiencies of today's homes. This unit is also available as a 3-phase option.



The Ecodan® Approved Packaged Systems

To ensure that you get the best performance and enjoy the full range of benefits that Ecodan has to offer, we recommend you install an approved packaged solution. We have carried out extensive research and development to ensure we can maximise Ecodan's unique performance. To take full advantage of Ecodan, install an approved packaged system that teams Ecodan with the ideal water storage tank and perfect control system.



Using alternative water storage tanks with Ecodan®

Whilst we recommend using an approved packaged system, Ecodan will also work with most other leading brands of water storage tanks and controls. The space

heating ability will operate in much the same way as with the packaged system, but it's important to note that the production of hot water may vary. We therefore recommend that careful consideration is given to the specification of the hot water storage tank, in order to maintain optimum efficiency of the water heating cycle.

Optimum control

The Ecodan controller is specifically designed to ensure that space heating operates at optimum efficiency. The controller is also designed to readily interface with standard S plan central heating and hot water systems to enable Ecodan to be used with other suitable hot water tanks and under floor heating systems.

To combat the ineffective 'On/Off' approach of heating systems, our inverter driven technology means we can offer Flow Temperature Control. Put simply, this enables the system to vary the flow temperature of water depending on the demand for heat - quickly reacting to outdoor weather temperatures and making it hugely energy efficient. Here are some examples of the features our control systems can offer:

- Outside weather compensator
- Programmable flow set point temperatures
- Inverter driven compressor
- Able to interface with standard S plan central heating

Perfect for providing domestic space heating and hot water



Support Network & Warranty

In support of the Ecodan system, we've put in place all the before and after sales service you'd expect from a leading manufacturer such as Mitsubishi Electric. We recognise that our continued success relies heavily on having satisfied customers who experience high performing products that are efficient, effective and most importantly reliable. By investing 4% of our total turnover into research and development of new products and services, we aim to provide just that.

Approved Ecodan® Installers (AEI)

Our Heating Partner Programme is an initiative that's designed to raise standards throughout the heating industry and our way of ensuring our customers receive an assured, uniform and professional service on which they can rely. For total confidence in our products and service, the installation of the Ecodan system must be carried out to the highest standards and should only be fitted by a highly trained, Mitsubishi Electric Approved Ecodan Installer. All approved installers have received specific, in depth training by experienced engineers, covering all aspects including Sales, Technical, Installation, Commissioning and Maintenance.

www.mitsubishielectric.co.uk/heating

State of the art training

Mitsubishi Electric provide the highest level of training designed to enable engineers to design, install and maintain our advanced systems. All courses are taught by experienced engineers with a wealth of knowledge of our product range, the industry and all current legislation. Located around the UK, our training facilities boast, training and demonstration suites where theory and practice is readily explained, providing the perfect setting in which to gain in-depth knowledge of our products. As part of the course, attendees will be given useful boiler and radiator sizing software tools to assist in the design of the system.

Warranty

Home owners can benefit from an exceptionally high value 3 year warranty on the Ecodan Advanced Heating System. It's important to note however, that the warranty will only be honoured subject to the following conditions:

- To validate the warranty, the purchase of Ecodan must be registered with Mitsubishi Electric
- The system must be installed and commissioned by a Mitsubishi Electric Approved Ecodan Installer
- Periodic maintenance must be carried out as agreed and all maintenance reports must be made available to Mitsubishi Electric on request

Specifications		PUHZ-W50VHA	PUHZ-W85VHA	PUHZ-HW140VHA	PUHZ-HW140YHA
Dimensions (mm)	Width	950	950	1020	1020
	Depth	330+30*	330+30*	330+30*	330+30*
	Height	740	943	1350	1350
Weight (kg)		64	77	134	148
Airflow (m ³ /min)		50	55	100	100
Nominal sound level (dBA)		45 [^]	48 [^]	53 [^]	53 [^]
Low noise mode (dBA) @ 7°C		40	42	46	46
Guaranteed operating range (Outdoor)		-15~+35°C	-20~+35°C	-25~+35°C	-25~+35°C
Electrical Supply		220-240v, 50Hz	220-240v, 50Hz	220-240v, 50Hz	380-415v, 50Hz
Phase		Single	Single	Single	3
Running current (A) [Max]		5.4 [13]	10.3 [23]	14.9 [35]	5.1 [13]
Fuse Rating (MCB sizes BS EN 60947-2) (A)		16	25	40	16
Heating A2/W35	Capacity (kW)	5.0	8.5	14.0	14.0
	COP	3.13	2.95	2.69	2.69
	Power Input (kW)	1.60	2.88	5.21	5.21
	Nominal flow rate (L/min)	14.3	25.8	40.1	40.1
Heating A7/W35	Capacity (kW)	5.0	9.0	14.0	14.0
	COP	4.10	3.85	4.19	4.19
	Power Input (kW)	1.22	2.34	3.34	3.34
	Nominal flow rate (L/min)	14.3	25.8	40.1	40.1
*Grille [^] At distance of 1m from outdoor unit					
Nominal operating condition			Nominal operating condition		
Heating (A2/W35)	Outside air temperature (dry)	+2°C	Heating (A7/W35)	Outside air temperature (dry)	+7°C
	Outside air temperature (humid)	+1°C		Outside air temperature (humid)	+6°C
	Water temperature (inlet/outlet)	+30/+35°C		Water temperature (inlet/outlet)	+30/+35°C

**The
low carbon
alternative
to traditional
boilers**



Low carbon technologies

As well as being compared with alternative forms of domestic heating, Ecodan is likely to be compared to alternative means of reducing CO₂ emissions from the home, such as:

Wind turbine

Solar water heating

Solar PV

Micro CHP

Biomass

When comparing Ecodan against alternative microgeneration technologies, capital outlay is key and the potential for reducing CO₂ emissions proves extremely favourable



The Mitsubishi Electric Green Gateway Initiative[®]

The Green Gateway Initiative has been created by Mitsubishi Electric Living Environmental Systems UK. It is the Company's pro-active response to climate change. The point of difference is that Mitsubishi Electric will actively use its market footprint to influence people's buying decisions and help businesses and consumers make the right choices.

For further information, please visit www.greengatewayinitiative.co.uk


BRE tested

Independent testing on the Ecodan system has been carried out by the BRE. The BRE is a world leading testing, training and certification organisation, specialising in the testing and certification of construction related products.

Performance tests of an 8.5kW Ecodan air to water heat pump were carried out at BRE for Mitsubishi Electric according to the requirements of BS EN 14511. The hot water cylinder was a BoilerMate supplied by Gledhill Water Storage Ltd. The tests were carried out in BRE's HVAC test facility's environmental chamber. The testing method involved heating 180L of water from 12°C to 55°C confirming heating performance down to -5°C. The findings were excellent.


Using data to calculate the seasonal performance of **Ecodan®**, the findings are:

BRE test data - hot water cylinder heat up



Note: Compressor speed 4 = 6kW output


BRE test data - Ecodan efficiency test



Note: Compressor speed 7 = 9kW output

Compressor Speed 7 heat output kW			
Air Dry Bulb temp	35°C	45°C	55°C
12	9.1	9.1	9.8
7	8.8	9.3	8.8
2	8.0	8.3	8.25
-5	7.75	8.1	7.25

Water heating
COP 3.2 (tank to 55°C)
Space heating COP 3.6
 (variable flow temperature)
Average overall
COP of 3.45



bre



Ecodan[®] is a low carbon heating system designed to be cheaper to run

Ecodan our unique low carbon heating and hot water system for homes has been specifically designed to combat the continued rise in energy costs and reduce CO₂ emissions. With the price of oil and gas rising dramatically the need for householders to reduce fuel bills has never been greater. That's where Ecodan comes in - when compared to the traditional gas and oil fired boilers used in the majority of UK homes, Ecodan can significantly cut costs and revolutionise domestic heating.

Boasting savings of up to 36%* when compared to the running costs of a gas boiler and a massive 45%** when compared to the more expensive oil fired boilers, Ecodan is ideal for homes that aren't on the national gas grid and offers greater savings still against older gas and oil systems or for those using LPG or direct electric. With energy prices set to continue to rise, so too will the appeal of Ecodan with it's energy efficiency reduced CO₂ and the promise of substantial savings.



* Based on Ecodan replacing an 80% efficient gas boiler in a standard constructed 4 bed house built in 2000.

** Based on Ecodan replacing a 97% efficient oil boiler operating within standard usage patterns.

Recognising the potential for Ecodan®

The Microgeneration Certification Scheme (MCS)

The Microgeneration Certification Scheme (MCS) is owned by the department for Business, Enterprise and Regulatory Reform (BERR formerly the DTI) and is designed to evaluate products and installers against robust criteria for microgeneration technologies, providing greater protection for consumers and ensuring that the Government's (ie. taxpayers) grant money is spent in an effective manner. This new scheme will underpin BERR's grant scheme, the Low Carbon Buildings Programme, and grants will be available to applicants using both products and installers certified under MCS. Other initiatives, such as the proposed stamp duty land tax relief for new zero carbon homes, are also likely to use MCS in the future. MCS has replaced the product and installer registration schemes (Clear Skies and PV programme). The aim is to:

- Help build a rapidly growing Microgeneration industry based on quality and reliability
- Help to substantially reduce the UK's dependency on fossil fuels and cut CO₂ emissions
- Assure customers that products and installers meet, and continue to meet, robust standards
- Grow the Microgeneration industry


With the MCS certified Ecodan range and using Approved Ecodan Installers registered under the MCS, customers will be eligible to benefit from grants under the fore mentioned scheme.

For further detail on how to apply and the latest information regarding the MCS please visit www.greenbooklive.com

The Environment and Energy Awards 2008

The Mitsubishi Electric Ecodan heat pump system has recently been recognised for its carbon saving potential at the Environment and Energy Awards 2008 - winning the coveted Environment Energy Product / Service category. The judges praised our far-sightedness, saying that whilst air source technology was not new, the company had "Packaged Ecodan into a neat unit that could prove acceptable to the environmentally-savvy domestic user who want to do their bit to cut carbon emissions".

It's a well known fact that one of the easiest ways of achieving a significant reduction in CO₂ emissions would be through the greater use of heat pump technology. Ecodan's heat pump technology extracts free energy from the surrounding air to reduce energy consumption, resulting in significantly reduced CO₂ and domestic fuel bills. This award recognises that Ecodan easily competes with all other available forms of air source heat pump and acknowledges our efforts to provide households with a simple and straightforward way of achieving reliable heating and hot water whilst significantly reducing CO₂ emissions.



Product of the Year
2008



Refurbishment case study

A four bedroom house in Bedfordshire is the first home in the UK to benefit from the new, revolutionary Ecodan heat pump. As a result CO₂ emissions from the home's heating system were reduced by **50%** and the overall carbon emissions from the property by an impressive **34%**.


The homeowner sought to reduce his carbon footprint and by installing Ecodan was able to do so, whilst at the same time, providing an ideal case study for the advanced heating system in operation.

Built in 2000, the four bedroom detached house has double glazed windows as well as loft and wall insulation. The existing heating system was previously run by an 80% efficient gas boiler providing 23.2kW of heat output from an input of 29kW. Based on the existing radiators it was calculated that the total heat output of the radiators was 13.4kW under standard boiler conditions with a flow temperature of 70°C and the hot water demand of the home totals 140 litres per day.


Using the Ecodan heat pump, the heat load of the house was calculated to be 8kW. Operating at a flow temperature of 55°C the heat output of the radiators will be 8.4kW, confirming that Ecodan is fully capable of meeting the heating demand of the house, using the existing radiators. In addition, one area of the house was changed to under floor heating.

The heat load of a house varies with ambient temperature. Traditional systems would vary the output from the radiators by turning them on and off frequently with Thermostatic Radiator Valves (TRV's), in order to meet the fluctuating demand.

As the ambient temperature increases, the heat load of the house decreases. The highly efficient Ecodan varies radiator heat output by changing the flow temperature, ensuring the highest level of COP possible. With average UK winter temperatures ranging between 2°C and 7°C, Ecodan operates at average flow temperatures between 35°C and 45°C providing the highest levels of energy efficiency.



Flow temperature vs ambient temperature



When comparing the existing gas boiler to using Ecodan to provide domestic space heating and hot water, the reduction in CO₂ emissions from the home are startling. The Ecodan with a seasonal COP of 3.4 emits 0.13kg of CO₂ per kW of heat provided to the house, compared to the 80% efficient gas boiler, which emits 0.24kg of CO₂.

This works out to 1,619kg of CO₂ emitted per year when using Ecodan, as opposed to a massive 3,040kg of CO₂ using the existing gas boiler. This clearly demonstrates a reduction of 50% with the help of Ecodan.


When taking into account this property's CO₂ emissions, including that from lighting, appliances, space and water

heating, the existing gas boiler accounted for 73% of the total CO₂ emissions. This is dramatically reduced when using Ecodan, with the total CO₂ emissions reduced by 34%.


The annual gas bill to operate the existing gas boiler was £560. The estimated electricity running costs of the Ecodan are £358, which represents a saving of £202 (36%) per year.

In the past there was an issue with the noise levels of air sourced heat pumps. The newly developed Ecodan however, offers one of the lowest possible nominal sound levels at 49dBA. External noise levels on the patio at the back of the house with the unit in operation were measured at 39dBA. This is very quiet when you consider that a modern computer has a noise rating of 37 to 39dBA, proving that sound levels are no longer an issue with the introduction of the advanced Ecodan system.

Heating CO₂ emissions




Whole house CO₂ savings in kg



50%
reduction in
CO₂ emissions

41%
reduction in
running costs

First heating quarter



New Build case study


Ecodan heat pumps are ideal for use on new-build projects. The low running costs and excellent heating performance make Ecodan an attractive option for homeowners, housing associations and developers alike. Highfield Orchard in Shrewton, Wiltshire, consists of eight executive homes. The developer specified Ecodan to supply the space heating and hot water for a number of reasons.

As the site is off the gas grid, the developer originally considered oil. However, this was ruled out as both the installation and running costs were considerably higher than Ecodan. Highfield Orchard saw Ecodan as a highly cost effective solution for this development.

All the properties have underfloor heating systems. These use lower flow temperatures than radiators and are a more efficient heat emitter. Underfloor heating helps to maximise the long-term energy and running costs savings available from Ecodan.

The Highfield Orchard site includes varying sizes of property, with heating loads between 5.2kW and 8.3kW. Ecodan uses the latest inverter technology to ensure that the system delivers exactly the right performance to match the load requirement of each property. That meant that the developer was able to specify the same system for every house, without the need to re-size or order different units.

Furthermore, Ecodan is supplied as a sealed system so it does not have to meet the new F-Gas Regulations. As a result the developer does not have to find specialist refrigerant handlers to install the equipment. Ecodan is straightforward to install, using normal plumbing skills.



At Shrewton, Ecodan is linked to a Gledhill BoilerMate Water Storage unit. This system designed for use with Ecodan includes pumps, valves and a specially designed control system to optimise the overall system efficiency.

Installers simply have to link the flow and return to the Gledhill BoilerMate and then to the central heating system as they would with a traditional condensing gas boiler.

For any housing developer, the real test of the technology is its popularity with buyers. Heat pumps have certainly met with approval at Highfield Orchard and the developer considered the Ecodan an excellent selling point: it is viewed as 'sustainable'; has low running costs; and also leaves extra space in the kitchen where a conventional boiler would normally be positioned.

Perhaps most importantly, homeowners will notice very little difference in use between Ecodan and 'traditional' gas fired central heating - unlike some other sustainable heating systems. Even the user controls for Ecodan operate in the same way to those found on a traditional domestic heating system. Ecodan certainly makes it easier for homeowners to significantly reduce carbon emissions while cutting their energy bills.

CO2 emissions and running cost comparison - Ecodan versus traditional oil boiler

	Carbon (Kg)	Actual Running Cost (£)
4 Bed Terrace		
Ecodan	2405	443
Oil Boiler	5129	730
3 Bed Terrace		
Ecodan	2055	380
Oil Boiler	4384	624

Predicted figures - typical usage patterns and oil and electricity prices as per January 2008



Ecodan is an attractive option for homeowners, housing associations and developers alike



ecodan[®]

Advanced Heating Technology

The future of domestic heating

Like all new technologies, Ecodan is an investment in the future. Developers, housebuilders and homeowners want to be assured that technology they purchase today will be relevant and useful for many years to come. Ecodan has been designed with the future very much in mind.

Already, legislation is forcing housebuilders and homeowners to consider energy use in their properties. Part L of the Building Regulations sets targets for carbon emissions from homes and these targets are set to rise over the next five to ten years. Ecodan is at the cutting edge of low-energy performance and will enable homes to meet these targets long after they are built.

The Home Information Pack will also take into account the energy used in domestic properties and homeowners using Ecodan will know that their energy use will always be less than homes with traditional gas-fired boiler systems, or electric heating.

A growing number of Local Authorities include targets for use of renewable energy sources on new-build sites. Currently, these targets can range from 10% to 20% of a planned site's predicted energy that must be sourced from on-site renewables. It is sensible to minimise energy use in the dwellings on such sites to keep the requirement for high capital cost renewables to the minimum. Ecodan cuts the energy needed by homes, reduces the burden on renewable sources, and helps to minimise the carbon footprint of the site overall.

The BERR Report

Welcoming the report, energy minister Malcolm Wicks said: "Microgeneration has the potential to make a significant contribution to overall energy use in the UK and, combined with energy efficiency measures, will help towards reducing our carbon emissions."


The Mitsubishi Electric Ecodan is designed to meet the demands of today's domestic hot water and heating requirements. Simple to install, cost effective for the end-user and with outstanding energy efficiency, Ecodan is ideal for designers, installers and users.

Inverter-driven heat pump technology offers a low carbon alternative to traditional boilers in modern buildings, whether they are new build or refurbishments.

Outstanding benefits over traditional boilers:

- 30 - 50% reduction in CO2 emissions
- Low running costs
- Easy to install - self contained unit only requiring water and electric connections
- No gas supply, flues or ventilation required
- No need for groundwork or external pumps
- Single phase power supply with a low starting current
- 3 phase option available (14kW)
- Even higher running cost savings and CO2 reductions with under floor heating systems
- Low maintenance
- Reduced VAT from 17.5% to 5% for domestic applications
- Comparable installation costs to a modern gas-fired condensing boiler
- Low noise

**Simple to
install and
cost effective
heating solutions
from Mitsubishi
Electric**



Approved Ecodan® Installer

Mitsubishi Electric is investing in the future of Ecodan with its own accredited training programme for installers. Its Heating Partner Programme will ensure that Ecodan is correctly installed at customer sites and operating at maximum energy efficiency. Mitsubishi Electric is committed to ensuring that Ecodan customers can find reliable, knowledgeable technical experts who can offer help and advice on-site and during the lifetime of the product.

The Heating Partner programme gives businesses the opportunity to become an Approved Ecodan Installer (AEI), through detailed training and support. This opportunity is available to both existing Mitsubishi Electric Air Conditioning Partner Programme members and other companies wishing to install Ecodan Heat Pumps.

Ecodan is a factory sealed air sourced heat pump, connected by flow and return water pipes to either a hot water storage tank and/or central heating. When installed within a domestic environment this product comes under various domestic related building regulations, for example Part P and G3. In order for us to ensure Ecodan installations meet these and our own installation requirements each company that applies to become a Heating Partner must meet with the specific industry and programme standards.

Unvented Hot Water Certificate: It is a requirement under G3 of the building regulations that anyone installing, commissioning or maintaining an unvented hot water storage vessel (a component of Ecodan) is competent to do so.

We accept Unvented Hot Water Certificates from the following: Logic, City & Guilds 6019, NIC, BPEC & Building Engineering Services (CITB).


City & Guilds 6084 (Certificate in Energy Efficiency in Domestic Heating). This course has been designed to enable plumbing & heating engineers to confirm their competence in:

- The design, installation, service & maintenance of unvented hot water storage systems
- The understanding of central heating & hot water storage systems design & installation issues as they relate to energy conservation measures as detailed under part L1 of the building regulations

We also accept Energy Efficiency in Domestic Heating Certificates from the following: Logic, NIC, BPEC & Building Engineering Services (CITB).

The Approved Ecodan Installer accreditation will ensure that Ecodan is correctly installed at customer sites, and therefore operating at its maximum energy efficiency. The performance characteristics of a heat pump are substantially different from traditional boiler products. To ensure that the reputation of Ecodan and air sourced heat pumps are developed correctly, we only supply via installers who have attended and passed the relevant training.

www.mitsubishielectric.co.uk/heating



**MITSUBISHI
ELECTRIC**
HEATING SYSTEMS

ecodan®
Advanced Heating Technology

Approved Installer





Telephone: **01707 278666**

Fax: **01707 278592**

email: heating@meuk.mee.com

web: www.mitsubishielectric.co.uk/heating

UNITED KINGDOM Mitsubishi Electric Europe Heating Systems
Travellers Lane, Hatfield, Hertfordshire, AL10 8XB, England.

General enquiries Telephone: 01707 282880 Fax: 01707 278674

IRELAND Mitsubishi Electric Europe Westgate Business Park, Ballymount, Dublin 24, Ireland.

Telephone: Dublin (01) 419 8800 Fax: Dublin (01) 419 8890 International code: (003531)

Country of origin: United Kingdom – Japan – Thailand – Malaysia. ©Mitsubishi Electric Europe 2008. Mitsubishi and Mitsubishi Electric are trademarks of Mitsubishi Electric Europe B.V.

The company reserves the right to make any variation in technical specification to the equipment described, or to withdraw or replace products without prior notification or public announcement.

Mitsubishi Electric is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract.

All goods are supplied subject to the Company's General Conditions of Sale, a copy of which is available on request. Third-party product and brand names may be trademarks or registered trademarks of their respective owners.

Printed in September 2008 - Version 3

SAP No. 210486



www.greengatewayinitiative.co.uk

Designed by Square Bear Ltd 01604 899099. Square Bear Ltd are committed to using FSC certified paper and printers, wherever possible.

The laminate used on this brochure is environmentally friendly, recyclable and biodegradable

This pdf has been downloaded from the website of :

“Supplying and installing the latest in air conditioning technology”

° Celsius
air conditioning

Celsius Air Conditioning Ltd, I Well Street, Heywood, Greater Manchester OL10 INT

 01706 367 500  07000 CELSIUS  01706 367 355  sales@celsiusair.co.uk  www.celsiusair.co.uk

www.celsiusair.co.uk